

### MSc Nursing

Q. No. 1 0052001	<b>The vaginal pH in reproductive period is</b>
Option A	3 to 4
Option B	4 to 5
Option C	5 to 6
Option D	6 to 7
Correct Option	<b>B</b>

Q. No. 2 0052002	<b>Life span of RBC is</b>
Option A	90 days
Option B	100 days
Option C	110 days
Option D	120 days
Correct Option	<b>D</b>

Q. No. 3 0052003	<b>The strongest and largest bone of the face is</b>
Option A	Maxilla
Option B	Frontal bone
Option C	Mandible
Option D	Occipital bone
Correct Option	<b>C</b>

Q. No. 4 0052004	<b>Which of this nerves passes through the foramen magnum</b>
Option A	Spinal nerve
Option B	Vagus
Option C	Accessory
Option D	Hypoglossal
Correct Option	<b>C</b>

Q. No. 5 0052005	<b>The epithelial tissue which lines the urinary bladder is</b>
Option A	Columnar
Option B	Stratified
Option C	Squamous
Option D	Transitional
Correct Option	<b>D</b>

Q. No. 6 0052006	<b>Which hormone is essential for milk production</b>
Option A	Thyroid
Option B	ADH

Option C	Oxytocin
Option D	Prolactin
Correct Option	<b>D</b>

Q. No. 7 0052007	<b>In following which is not a function of the insulin</b>
Option A	Decreasing glycogenolysis
Option B	Gluconeogenesis
Option C	Lypogenesis
Option D	Glycogenesis
Correct Option	<b>B</b>

Q. No. 8 0052008	<b>Sperms are produced by</b>
Option A	Prostate
Option B	Seminiferous tubules
Option C	Epididymis
Option D	Penis
Correct Option	<b>B</b>

Q. No. 9 0052009	<b>Which structure of eye is helpful in changing the thickness of lens?</b>
Option A	Sclera
Option B	Cornea
Option C	Ciliary Body
Option D	Iris
Correct Option	<b>C</b>

Q. No. 10 0052010	<b>The second heart sound 'dup' is heard due to</b>
Option A	Opening of the aortic and pulmonary valves
Option B	Closure of the aortic and pulmonary valves
Option C	Opening of the atrioventricular valves
Option D	Closure of the atrioventricular valves
Correct Option	<b>B</b>

Q. No. 11 0052011	<b>The Organism responsible for Filaria</b>
Option A	Entamoeba histolytica
Option B	Anopheles mosquito
Option C	Wuchereria Bancrofti
Option D	Taeniasaginata
Correct Option	<b>C</b>

Q. No. 12 0052012	<b>The polio virus enters in the body by</b>
Option A	Ingestion
Option B	Sexual contact
Option C	Inoculation

Option D	All of the above
Correct Option	<b>A</b>

Q. No. 13 0052013	<b>Complete destruction of all microorganisms is effected by the use of</b>
Option A	Antiseptic
Option B	Sterilant
Option C	Disinfectant
Option D	Detergent
Correct Option	<b>C</b>

Q. No. 14 0052014	<b>In following which is a gram positive bacilli</b>
Option A	Corynebacterium
Option B	Proteus
Option C	Pseudomonas
Option D	E. coli
Correct Option	<b>A</b>

Q. No. 15 0052015	<b>Endoscope is sterilized by</b>
Option A	Autoclaving
Option B	U. V. Rays
Option C	2% phenol
Option D	2% gluteraldehyde
Correct Option	<b>D</b>

Q. No. 16 0052016	<b>Smith's test is used to detect</b>
Option A	Bile pigment
Option B	Acetone
Option C	Bile salt
Option D	Albumin
Correct Option	<b>A</b>

Q. No. 17 0052017	<b>The term gavage indicates</b>
Option A	Administration of a liquid feeding into the stomach
Option B	Visual examination of the stomach
Option C	Irrigation of the stomach with a solution
Option D	A surgical opening through the abdomen to the stomach
Correct Option	<b>A</b>

Q. No. 18 0052018	<b>Prolong suctioning of the tracheostomy may cause</b>
Option A	Myocarditis and endocarditis
Option B	Hypoxia and cardiac arrest
Option C	Nausea and vomiting
Option D	Anorexia

Correct Option	<b>B</b>
----------------	----------

Q. No. 19 0052019	<b>In hospital, non infectious wastes should be discarded in</b>
Option A	Red colored bag
Option B	Blue colored bag
Option C	Black colored bag
Option D	Yellow colored bag
Correct Option	<b>C</b>

Q. No. 20 0052020	<b>Low level of oxygen in the blood is known as</b>
Option A	Cyanosis
Option B	Anoxemia
Option C	Hypoxia
Option D	Hypoxemia
Correct Option	<b>D</b>

Q. No. 21 0052021	<b>Hyperpyrexia is</b>
Option A	107 <sup>0</sup> F
Option B	105 <sup>0</sup> F
Option C	103 <sup>0</sup> F
Option D	101 <sup>0</sup> F
Correct Option	<b>B</b>

Q. No. 22 0052022	<b>Infusion of 500 ml normal saline over 6 hours requires how many drops per minute when the drop factor is 15 drops per minute?</b>
Option A	23 drops/min
Option B	21 drops/min
Option C	17 drops/min
Option D	15 drops/min
Correct Option	<b>B</b>

Q. No. 23 0052023	<b>Color of nitrous oxide cylinder is</b>
Option A	Red
Option B	French Blue
Option C	Black with white shoulders
Option D	Black
Correct Option	<b>B</b>

Q. No. 24 0052024	<b>A Foleys catheter operates by the principal of</b>
Option A	Osmosis
Option B	Diffusion
Option C	Gravity
Option D	None of this

Correct Option	<b>C</b>
----------------	----------

Q. No. 25 0052025	<b>Ringer lactate is contraindicated in</b>
Option A	Diarrhoea
Option B	Lactic acidosis
Option C	Burns
Option D	Hypovolemia
Correct Option	<b>B</b>

Q. No. 26 0052026	<b>Gradual decrease of the body's temperature is known as</b>
Option A	Livor mortis
Option B	Algor mortis
Option C	Rigor mortis
Option D	None of the above
Correct Option	<b>B</b>

Q. No. 27 0052027	<b>Atropine sulphate act as a</b>
Option A	Antihypertensive agent
Option B	Anticonvulsant drug
Option C	Miotic drug
Option D	Midriatic drug
Correct Option	<b>D</b>

Q. No. 28 0052028	<b>During haemodialysis which of the following drug is used to prevent blood clotting?</b>
Option A	Protamin
Option B	Heparin
Option C	Warfarin
Option D	Aspirin
Correct Option	<b>B</b>

Q. No. 29 0052029	<b>Which of the following is not excreted in breast milk?</b>
Option A	Zinc
Option B	Phosphorus
Option C	Iron
Option D	Calcium
Correct Option	<b>C</b>

Q. No. 30 0052030	<b>Which prostaglandin helps in cervical ripening?</b>
Option A	PGE1
Option B	PGE2
Option C	PGF2
Option D	PGI2
Correct Option	<b>B</b>

Q. No. 31 0052031	<b>The condition in which the bleeding is so irregular and excessive that the menses cannot be identified is known as</b>
Option A	Menorrhagia
Option B	Metrorrhagia
Option C	Polymenorrhoea
Option D	Menometrorrhagia
Correct Option	<b>D</b>

Q. No. 32 0052032	<b>Robert sign is found in</b>
Option A	Placenta previa
Option B	Abruptio placenta
Option C	IUFD
Option D	Hydatidiform mole
Correct Option	<b>C</b>

Q. No. 33 0052033	<b>Internal rotation of the fetal head occurs during labor at</b>
Option A	Inlet
Option B	Cavity
Option C	Outlet
Option D	Midpelvis
Correct Option	<b>C</b>

Q. No. 34 0052034	<b>Fertilization of two ova released in different menstrual cycle is known as</b>
Option A	Superfetation
Option B	Superfecundation
Option C	Fetus papyraceous
Option D	None of the above
Correct Option	<b>A</b>

Q. No. 35 0052035	<b>During face presentation attitude of the head will be</b>
Option A	Partial extension
Option B	Deflexion
Option C	Complete extension
Option D	Flexion
Correct Option	<b>C</b>

Q. No. 36 0052036	<b>What is the full form of HELP syndrome?</b>
Option A	Haemoglobinuria, elevated leucocytes and low platelet level
Option B	Haemolysis, elevated lymphocytes and low platelet level
Option C	Haemolysis, elevated lipase enzyme and low platelet level
Option D	Haemolysis, elevated liver enzyme and low platelet level
Correct Option	<b>D</b>

Q. No. 37 0052037	<b>What is the antidote of magnesium sulphate?</b>
Option A	Protamin sulphate
Option B	Calcium gluconate
Option C	Calcium carbonate
Option D	Sodium bicarbonate
Correct Option	<b>B</b>

Q. No. 38 0052038	<b>A suspected pregnancy is confirmed by the presence of HCG in urine or serum after how many days of missed period?</b>
Option A	At least 8 days
Option B	At least 12 days
Option C	At least 14 days
Option D	At least 21 days
Correct Option	<b>A</b>

Q. No. 39 0052039	<b>During delivery, on vaginal examination, palpation of fetal blood vessels lies in front of the fetal presenting part through intact membrane is known as</b>
Option A	Cord prolapsed
Option B	Cord presentation
Option C	Placenta previa
Option D	Vasa previa
Correct Option	<b>D</b>

Q. No. 40 0052040	<b>A nurse is caring for a client who has spontaneous abortion. For what complication the nurse should assess</b>
Option A	Haemorrhage
Option B	Dehydration
Option C	Subinvolution
Option D	Hypertension
Correct Option	<b>A</b>

Q. No. 41 0052041	<b>The condition in which leading edge of the uterine prolapse extends from 1 cm above to 1 cm below the hymenal ring is staged as</b>
Option A	Stage I
Option B	Stage II
Option C	Stage III
Option D	Stage IV
Correct Option	<b>B</b>

Q. No. 42 0052042	<b>For delivery of the aftercoming head in breech presentation, specially designed forceps is used</b>
Option A	Das's forceps
Option B	Piper forceps
Option C	Kielland's forceps
Option D	Wrigley's forceps
Correct Option	<b>B</b>

--	--

Q. No. 43 0052043	<b>The level of immunity that is present in a population against an infectious agent is known as</b>
Option A	Innate immunity
Option B	Acquired immunity
Option C	Passive immunity
Option D	Herd immunity
Correct Option	<b>D</b>

Q. No. 44 0052044	<b>The rashes of the chicken pox first appear on</b>
Option A	Legs
Option B	Arm
Option C	Chest
Option D	Trunk
Correct Option	<b>D</b>

Q. No. 45 0052045	<b>The full form of AEFI</b>
Option A	Adverse effect following injection
Option B	Adverse events following Immunization
Option C	Adverse effects following immunization
Option D	Adverse events following injection
Correct Option	<b>B</b>

Q. No. 46 0052046	<b>Commonest cause of infant mortality rate in India is</b>
Option A	Respiratory infection
Option B	Congenital malformation
Option C	Dehydration
Option D	Prematurity
Correct Option	<b>D</b>

Q. No. 47 0052047	<b>Polio is the primary infection of</b>
Option A	Urinary system
Option B	Respiratory system
Option C	Gastrointestinal system
Option D	Central nervous system
Correct Option	<b>C</b>

Q. No. 48 0052048	<b>Dose of DMPA is</b>
Option A	200 mg after every two months
Option B	200mg monthly
Option C	150 mg after every three months
Option D	100 mg for two weeks
Correct Option	<b>C</b>

	<b>The course for Community Health Officer is</b>
--	---



Q. No. 49 0052049	
Option A	DCHN
Option B	DCHNEA
Option C	BPHN
Option D	BPCCHN
Correct Option	<b>D</b>

Q. No. 50 0052050	<b>Vaccine against rota virus is given in which route</b>
Option A	Oral
Option B	Intra-dermal
Option C	Subcutaneous
Option D	Intramuscular
Correct Option	<b>A</b>

Q. No. 51 0052051	<b>Gold-standard in confirming the diagnosis of malaria is</b>
Option A	Polymerase chain reaction
Option B	Peripheral smear examination
Option C	Immunochromatographic test
Option D	Radioimmunoessay
Correct Option	<b>B</b>

Q. No. 52 0052052	<b>The constant presence of disease within a geographic area is known as</b>
Option A	Epidemic
Option B	Sporadic
Option C	Endemic
Option D	Pandemic
Correct Option	<b>C</b>

Q. No. 53 0052053	<b>According to CRS registration of birth within</b>
Option A	7 days
Option B	10 days
Option C	14 days
Option D	21 days
Correct Option	<b>D</b>

Q. No. 54 0052054	<b>The term refers to all current cases existing at a point/period of time in a given population is known as</b>
Option A	Incidence
Option B	Prevalence
Option C	Surveillance
Option D	None of the above
Correct Option	<b>B</b>

	<b>Presbyopia is treated by</b>
--	---------------------------------

Q. No. 55 0052055	
Option A	Convex lens
Option B	Concave lens
Option C	Both convex and concave lens
Option D	Refractive surgery
Correct Option	<b>A</b>

Q. No. 56 0052056	<b>Which of the following conditions is an early symptom commonly seen in myasthenia gravis ?</b>
Option A	Respiratory distress
Option B	Ptosis
Option C	Parasthesia of lower extremities
Option D	Dysphagia
Correct Option	<b>B</b>

Q. No. 57 0052057	<b>The correct position to palpate the epical pulse is at the</b>
Option A	Left midclavicular line at the level of second intercostal space
Option B	Left midclavicular line at the level of fifth intercostal space
Option C	Left axillary line at the level of fifth intercostal space
Option D	Left midclavicular line at the level of seventh intercostals space
Correct Option	<b>B</b>

Q. No. 58 0052058	<b>The most common cause of myocardial infarction is</b>
Option A	Aneurysm of the coronary artery
Option B	Occlusion of coronary artery by an embolus
Option C	Thrombus formation in a coronary artery
Option D	Vasospasm of coronary artery
Correct Option	<b>C</b>

Q. No. 59 0052059	<b>Which of the following arterial blood gas values is consistent with metabolic acidosis</b>
Option A	pH- 7.35
Option B	PaCO <sub>2</sub> - 46 mmHg
Option C	HCO <sub>3</sub> <sup>-</sup> -15Eq/L
Option D	PaO <sub>2</sub> -95 mm Hg
Correct Option	<b>C</b>

Q. No. 60 0052060	<b>A client arrives from surgery to the post anaesthesia care unit. The nurse should complete which of the following respiratory assessment first ?</b>
Option A	Airway flow
Option B	Breath sound
Option C	Respiratory rate
Option D	Oxygen saturation
Correct Option	<b>A</b>

--	--

Q. No. 61 0052061	<b>Which of the following symptoms is not characteristics manifestation of anorexia nervosa ?</b>
Option A	Hypotension
Option B	Menorrhagia
Option C	Pallor
Option D	Constipation
Correct Option	<b>B</b>

Q. No. 62 0052062	<b>Excessive secretion of vasopressin is responsible for which of the following disorder?</b>
Option A	Diabetes Insipidus
Option B	Syndrome of inappropriate antidiuretic hormone
Option C	Cushing's syndrome
Option D	Addisonian's crisis
Correct Option	<b>B</b>

Q. No. 63 0052063	<b>According to American Cancer Society's guidelines all sexually active women should undergo Pap test how frequently</b>
Option A	Every 5 years
Option B	Every 3 years
Option C	Every 2 years
Option D	Every year till 3 consecutive negative results
Correct Option	<b>D</b>

Q. No. 64 0052064	<b>Allergic reactions caused by environmental allergens is known as</b>
Option A	Anaphylactic reactions
Option B	Atopic reactions
Option C	Cytotoxic reactions
Option D	Immune complex reactions
Correct Option	<b>B</b>

Q. No. 65 0052065	<b>Which of the following drugs should be withheld before haemodialysis</b>
Option A	Insulin
Option B	Calcium preparations
Option C	Digoxin
Option D	Antihypertensive
Correct Option	<b>C</b>

Q. No. 66 0052066	<b>In caring pancreatitis patient, which of the following diet the nurse should plan?</b>
Option A	High protein, high carbohydrate, low fat diet
Option B	High carbohydrate, low fat with fruits and vegetables
Option C	High carbohydrate, high protein, low fat and low residue diet
Option D	Small and frequent bland diet
Correct Option	<b>C</b>

--	--

Q. No. 67 0052067	<b>During resuscitation in an infant, ratio of chest compression and ventilation breath should be</b>
Option A	1:5
Option B	5:1
Option C	1:3
Option D	3:1
Correct Option	<b>D</b>

Q. No. 68 0052068	<b>Hormone responsible for skeletal maturation of fetus</b>
Option A	Progesterone
Option B	Thyroxin
Option C	Estrogen
Option D	Testosterone
Correct Option	<b>B</b>

Q. No. 69 0052069	<b>Which of the following condition is not under the cyanotic heart disease</b>
Option A	Tetralogy of fallot
Option B	Transposition of great arteries
Option C	Patent ductus arteriosus
Option D	Truncus arteriosus
Correct Option	<b>C</b>

Q. No. 70 0052070	<b>A child is diagnosed with bacterial conjunctivitis, a nurse educate the mother to do all, except</b>
Option A	Give eye drop as prescribed
Option B	Share towel and wash cloths
Option C	Clean eyes as prescribed
Option D	Wash hands frequently
Correct Option	<b>B</b>

Q. No. 71 0052071	<b>What would you do if the VVM of OPV vaccine is unusable.</b>
Option A	Give vaccine to the child
Option B	Report to the CMOH
Option C	Do not give the vaccine to the child
Option D	Vaccine vial kept in the sunlight
Correct Option	<b>C</b>

Q. No. 72 0052072	<b>The most appropriate method for assessing pain in a toddler is</b>
Option A	Assess for changes in vital signs
Option B	Use a numeric pain scale
Option C	Observe the child for restlessness
Option D	Ask the child about pain
Correct Option	<b>C</b>

	<b>Prophylactic administration of vitamin A in a child is</b>
--	---

Q. No. 73 0052073	
Option A	Health promotion
Option B	Treatment
Option C	Specific protection
Option D	Rehabilitation
Correct Option	<b>C</b>

Q. No. 74 0052074	<b>When the neck of the child is flexed passively, the flexion of the knee occurs this represents</b>
Option A	Kerning's sign
Option B	Brudzinski sign
Option C	Stallworthy's sign
Option D	Lamba sign
Correct Option	<b>B</b>

Q. No. 75 0052075	<b>A child has fluid volume deficit. The nurse performs an assessment and determines that the child is improving and the deficit is resolving if</b>
Option A	Specific gravity of urine is 1.030
Option B	The child has no tears
Option C	Capillary refill time is less than 2 seconds
Option D	Urine output is less than 1ml/kg/hour
Correct Option	<b>C</b>

Q. No. 76 0052076	<b>Klumpke's palsy is due to the involvement of</b>
Option A	5 <sup>th</sup> and 6 <sup>th</sup> cervical nerve
Option B	7 <sup>th</sup> and 8 <sup>th</sup> cervical nerve
Option C	5 <sup>th</sup> and 6 <sup>th</sup> thoracic nerve
Option D	7 <sup>th</sup> and 8 <sup>th</sup> thoracic nerve
Correct Option	<b>B</b>

Q. No. 77 0052077	<b>Psychological mechanism that reduces anxiety arising from unacceptable or potentially harmful stimuli. The nurse determines that this is use of</b>
Option A	Affective reaction
Option B	Withdrawal pattern
Option C	Defense mechanism
Option D	Ritualistic behavior
Correct Option	<b>C</b>

Q. No. 78 0052078	<b>Delirium is a disorder of</b>
Option A	Consciousness
Option B	Perception
Option C	Memory
Option D	Thought
Correct Option	<b>A</b>

--	--

Q. No. 79 0052079	<b>A child with severe mental retardation has IQ level</b>
Option A	More than 70
Option B	35-70
Option C	20-35
Option D	Less than 20
Correct Option	<b>C</b>

Q. No. 80 0052080	<b>A person who deliberately pretends an illness is usually thought to be</b>
Option A	Using conversion defenses
Option B	Out of concept with reality
Option C	Malingering
Option D	Neurotic
Correct Option	<b>A</b>

Q. No. 81 0052081	<b>The therapeutic effective of serum lithium concentration level is monitored</b>
Option A	Within 12 hours
Option B	12-24 hours
Option C	24-48 hours
Option D	48 - 72 hours
Correct Option	<b>B</b>

Q. No. 82 0052082	<b>In following which is not an example of opoid</b>
Option A	Naloxane
Option B	Pethidine
Option C	Heroine
Option D	Morphine
Correct Option	<b>A</b>

Q. No. 83 0052083	<b>Inability to verbally describe one's emotionally feelings</b>
Option A	Agitation
Option B	Akinesia
Option C	Alexithymia
Option D	Anhedonia
Correct Option	<b>C</b>

Q. No. 84 0052084	<b>In following which is not a withdrawal symptom of alcohol</b>
Option A	Delirium tremens
Option B	Rum fits
Option C	Cirrhosis of liver
Option D	Alcoholic hallucination
Correct Option	<b>C</b>

--	--

Q. No. 85 0052085	<b>A patient has adequate speech amount but content provides little information, the patient is suffering from</b>
Option A	Poverty of ideation
Option B	Mutism
Option C	Poverty of speech
Option D	Echolalia
Correct Option	<b>A</b>

Q. No. 86 0052086	<b>In following which is not included in the 4A's of schizophrenia</b>
Option A	Autism
Option B	Association disturbances
Option C	Affect disturbances
Option D	Anxiety
Correct Option	<b>D</b>

Q. No. 87 0052087	<b>The heel-to-shin test assess</b>
Option A	Muscle strength of lower extremities
Option B	Muscle coordination of lower extremities
Option C	Involuntary movement of lower extremities
Option D	All of the above
Correct Option	<b>B</b>

Q. No. 88 0052088	<b>A patient is being treated with tab digoxin for supra ventricular tachycardia. What sign and symptoms are indicative of digoxin toxicity</b>
Option A	Convulsions
Option B	Yellow vision
Option C	Vertigo
Option D	Muscle cramping
Correct Option	<b>B</b>

Q. No. 89 0052089	<b>When a patient is on mechanical ventilation which of the following equipment should be kept ready at bedside?</b>
Option A	Water-seal chest drainage set up
Option B	Manual resuscitation bag
Option C	Oxygen analyzer
Option D	Tracheostomy cleaning kit
Correct Option	<b>B</b>

Q. No. 90 0052090	<b>A patient's gastric analysis test reveals excess secretion of gastric acid. The nurse would suspect which of the following diagnosis</b>
Option A	Gastric ulcer
Option B	Duodenal ulcer
Option C	Gastric cancer
Option D	Chronic atrophic gastritis
Correct Option	<b>B</b>

	<b>The most accurate laboratory test for renal function is</b>
--	--

Q. No. 91 0052091	
Option A	Blood urea nitrogen
Option B	Urinalysis
Option C	Creatine clearance
Option D	Serum creatinine
Correct Option	<b>C</b>

Q. No. 92 0052092	<b>The symptoms of hyperprolactinemia are all of the following except</b>
Option A	Galactorrhea
Option B	Failure of lactation
Option C	Amenorrhea
Option D	Decreased libido
Correct Option	<b>B</b>

Q. No. 93 0052093	<b>Diagnosis of Diabetes Insipidus is confirmed by</b>
Option A	Water deprivation test
Option B	Capillary blood glucose test
Option C	Urine test for specific gravity
Option D	Urine test for glucose
Correct Option	<b>A</b>

Q. No. 94 0052094	<b>Which of the following childhood infections may be a cause of infertility in the male</b>
Option A	Mumps
Option B	Measles
Option C	Pertusis
Option D	Diphtheria
Correct Option	<b>A</b>

Q. No. 95 0052095	<b>Which of the following is not considered as carcinogen?</b>
Option A	Tobacco
Option B	Ultraviolet Rays
Option C	Viruses
Option D	Gens
Correct Option	<b>D</b>

Q. No. 96 0052096	<b>The common side effect of chemotherapy</b>
Option A	Anorexia
Option B	Nausea and vomiting
Option C	Stomatitis
Option D	Constipation
Correct Option	<b>B</b>

	<b>Which of the following antibodies are produced in an allergic disorders?</b>
--	---



Q. No. 97 0052097	
Option A	IgA
Option B	IgD
Option C	IgM
Option D	IgE
Correct Option	<b>D</b>

Q. No. 98 0052098	<b>Atoconium is found in</b>
Option A	Perilymph
Option B	Hemolymph
Option C	Sinovial fluid
Option D	Otolith membrane
Correct Option	<b>B</b>

Q. No. 99 0052099	<b>Circulation of blood was discovered by</b>
Option A	Darwin
Option B	Aristotle
Option C	Harvey
Option D	Pasteur
Correct Option	<b>C</b>

Q. No. 100 0052100	<b>In following which is not an essential amino acids</b>
Option A	Methionine
Option B	Arginine
Option C	Lysine
Option D	Leucine
Correct Option	<b>B</b>

Q. No. 101 0052101	<b>The vitamin that is helpful in blood clotting</b>
Option A	Vitamin K
Option B	Vitamin A
Option C	Vitamin D
Option D	Vitamin C
Correct Option	<b>A</b>

Q. No. 102 0052102	<b>One of the following that does not have protective function</b>
Option A	Milk
Option B	Fish
Option C	Fruits
Option D	Green leafy vegetables
Correct Option	<b>B</b>

	<b>The disease which is characterized by 3D's</b>
--	---

Q. No. 103 0052103	
Option A	Meningitis
Option B	Pallegra
Option C	Beri beri
Option D	Kwashiorkor
Correct Option	<b>B</b>

Q. No. 104 0052104	<b>Qualities or characteristics that are measured in natural settings is</b>
Option A	Dependent variables
Option B	Independent variables
Option C	Research variables
Option D	Demographic variables
Correct Option	<b>C</b>

Q. No. 105 0052105	<b>The degree of consistency with which an instrument measures the attribute it is designed to measure</b>
Option A	Reliability
Option B	Validity
Option C	Probalbility
Option D	All of the above
Correct Option	<b>A</b>

Q. No. 106 0052106	<b>Rejection of true null hypothesis is</b>
Option A	Type I error
Option B	Type II error
Option C	Sampling error
Option D	None of the above
Correct Option	<b>A</b>

Q. No. 107 0052107	<b>A realistic expectations that are believe to be true</b>
Option A	Hypothesis
Option B	Assumptions
Option C	Theory
Option D	Generalization
Correct Option	<b>B</b>

Q. No. 108 0052108	<b>In following which is not under the non-probability sampling technique</b>
Option A	Convenient sampling
Option B	Censecutive sampling
Option C	Cluster sampling
Option D	Quota sampling
Correct Option	<b>C</b>

	<b>Restriction in the study that may decrease the credibility the research findings</b>
--	---

Q. No. 109 0052109	
Option A	Delimitations
Option B	Limitations
Option C	Hypothesis
Option D	Assumptions
Correct Option	<b>B</b>

Q. No. 110 0052110	<b>Acquisition of skills is known as</b>
Option A	Cognitive learning
Option B	Affective learning
Option C	Learning by conditioned reflex
Option D	Psychomotor learning
Correct Option	<b>D</b>

Q. No. 111 0052111	<b>Who classified personality as extrovert and introvert?</b>
Option A	Geordon Allport
Option B	Karl G. Jung
Option C	Watson
Option D	Bruner
Correct Option	<b>B</b>

Q. No. 112 0052112	<b>Thinking is also known as</b>
Option A	Memory
Option B	Motivation
Option C	Cognition
Option D	Attention
Correct Option	<b>C</b>

Q. No. 113 0052113	<b>What do you mean by legal responsibilities in nursing practice?</b>
Option A	The way in which you are obliged to obey the law in professional activities
Option B	The responsibilities of a nurse towards his patient society and profession
Option C	The responsibilities of a patient towards his nurse and treating doctor
Option D	The responsibility of a nurse to perform various nursing procedure
Correct Option	<b>A</b>

Q. No. 114 0052114	<b>The pre requisite for good lesson planning include except</b>
Option A	Teacher must have mastery over his subject
Option B	Student's educational background should be kept in mind
Option C	Their should be variety and novelty in type of presentation
Option D	Participation of learners should be avoided
Correct Option	<b>D</b>

	<b>Examples of non projected teaching aids are except</b>
--	---

Q. No. 115 0052115	
Option A	Models
Option B	Specimen
Option C	Flashcard
Option D	Laptop
Correct Option	<b>D</b>

Q. No. 116 0052116	<b>Brief account of any incident that has been occurred, termed as</b>
Option A	Audit
Option B	Anecdotal
Option C	Checklist
Option D	Evaluation
Correct Option	<b>B</b>

Q. No. 117 0052117	<b>In communication process which is also known as Decoder</b>
Option A	Channel
Option B	Message
Option C	Sender
Option D	Receiver
Correct Option	<b>D</b>

Q. No. 118 0052118	<b>The teaching which is presented in a dramatical way known as</b>
Option A	Demonstration
Option B	Role play
Option C	Symposium
Option D	Lecture
Correct Option	<b>B</b>

Q. No. 119 0052119	<b>Society emerges out of</b>
Option A	Community's existence
Option B	Men's existence
Option C	Problem's existence
Option D	Relationship
Correct Option	<b>B</b>

Q. No. 120 0052120	<b>Marriage is considered to be necessary because</b>
Option A	This is the only way to acquire to paternal property
Option B	This is the only way of sexual gratification
Option C	This provides societal sanction
Option D	It is regularized and provides socially sanctioned sex gratification
Correct Option	<b>D</b>

